



**tasker**®  
in Technology

Selection of the most important **tasker**® cables

Milan S.r.l. - **tasker**,  
Azienda Certificata  
UNI EN ISO 9001:2000



**tasker**® trade mark of Milan S.r.l.  
20090 Cusago Milano (Italy)

[www.taskercables.com](http://www.taskercables.com)

## Flat audio cables for Home Cinema, Loudspeakers and Hi-Fi

### Tasker Cables 2008 - Pag.1

- tasker® C100** sect. 2x0,35 mm<sup>2</sup>
- C100** sect. 2x0,50 mm<sup>2</sup>
- C100** sect. 2x0,75 mm<sup>2</sup>
- C100** sect. 2x1,00 mm<sup>2</sup>
- C100** sect. 2x2,00 mm<sup>2</sup>

Polarized flat cable for Loudspeaker and Hi-Fi Car  
**Available in 3 colours**



- tasker® C101** sect. 2x0,35 mm<sup>2</sup>
- C101** sect. 2x0,50 mm<sup>2</sup>
- C102** sect. 2x0,75 mm<sup>2</sup>
- C102** sect. 2x1,00 mm<sup>2</sup>
- C102** sect. 2x1,50 mm<sup>2</sup>
- C102** sect. 2x2,00 mm<sup>2</sup>
- C102** sect. 2x2,50 mm<sup>2</sup>

Red and Black flat cable for Loudspeakers and Hi-Fi Car



### Tasker Cables 2008 - Pag.2

- tasker® C103TN** sect. 2x0,22 mm<sup>2</sup>
- C105TN** sect. 2x0,75 mm<sup>2</sup>
- C203TN** sect. 2x1,00 mm<sup>2</sup>
- C237TN** sect. 2x1,50 mm<sup>2</sup>
- C238TN** sect. 2x2,00 mm<sup>2</sup>
- C100TN** sect. 2x3,00 mm<sup>2</sup>
- C134TN** sect. 2x4,00 mm<sup>2</sup>
- C135TN** sect. 2x6,00 mm<sup>2</sup>

Transparent **Normal** flat cables for Loudspeakers and Hi-Fi Car  
 Conductors composed by 0,20 (Ø mm.) copper wires



- tasker® C191TS** sect. 2x1,00 mm<sup>2</sup>
- C192TS** sect. 2x1,50 mm<sup>2</sup>
- C193TS** sect. 2x2,50 mm<sup>2</sup>
- C100TS** sect. 2x3,00 mm<sup>2</sup>

Transparent **Special** flat cables for Loudspeakers and Hi-Fi Car  
 Conductors composed by 0,10 (Ø mm.) copper wires



### Tasker Cables 2008 - Pag.4

- tasker® TSK1008** sect. 2x1,00 mm<sup>2</sup>

Extra flexible and extra thin flat cables. Divisible cable for Home Cinema and audio diffusion.  
**Available in 6 colours**



### Tasker Cables 2008 - Pag.5

- tasker® TSK1013** sect. 2x0,75 mm<sup>2</sup>
- TSK1014** sect. 2x1,00 mm<sup>2</sup>
- TSK1015** sect. 2x1,50 mm<sup>2</sup>
- TSK1016** sect. 2x2,50 mm<sup>2</sup>

Extra Flexible polarized flat cable for Loudspeakers and Hi-Fi Car





**MILAN S.r.l.**  
**Head Office - Export Dept.:**  
 20090 Cusago (MI) - Italy  
 Viale Europa, 74  
 Tel. +39 02 90394556 - 4158  
 Fax. +39 02 90394551  
 www.taskercables.com

**Ufficio Commerciale  
 e Centro Distribuzione**  
 20090 Cusago (MI) - Italia  
 Viale Europa, 72 Strada F12  
 Tel. +39 02 90390037 - 59  
 Fax +39 02 90390049  
 www.tasker.it

## Flexible speaker cables

- tasker® C265** sect. 2x1,00 mm<sup>2</sup>
- C275** sect. 2x1,50 mm<sup>2</sup>
- C266** sect. 2x2,00 mm<sup>2</sup>
- C276** sect. 2x2,50 mm<sup>2</sup>
- C267** sect. 2x3,00 mm<sup>2</sup>
- C277** sect. 2x4,00 mm<sup>2</sup>

Round flexible loudspeaker cables with double density sheath, suitable for speaker, banana and other audio connector

**Available in 2 colours**

[Tasker Cables 2008 - Pag.6](#)



**Also in Halogen Free version** **Halogen Free**

## Microphone audio cables

- tasker® C286** sect. 2x24 AWG

Extra flex balanced microphone cable for audio multiline and/or wiring applications  
 Sheath in Flame Retardant PVC

[Tasker Cables 2008 - Pag.15](#)



- tasker® C114** sect. 2x0,25 mm<sup>2</sup>

Flexible low capacity microphone cable with spiral shield, suitable for the realization of audio assembly  
**Available in 2 colours**

[Tasker Cables 2008 - Pag.16](#)



- tasker® C260** sect. 2x0,25 mm<sup>2</sup>

Flexible low capacity microphone cable with spiral shield, suitable for the realization of audio assembly  
**Available in 4 colours**



[Tasker Cables 2008 - Pag.17](#)

- tasker® C128** sect. 2x0,35 mm<sup>2</sup>

Supreme balanced low capacity microphone cable for audio and Broadcast, suitable for fixed installation on long distances  
**Available in 6 colours**



**Also in Halogen Free version** **Halogen Free**

[Tasker Cables 2008 - Pag.18](#)

- tasker® C112** sect. 2x0,35 mm<sup>2</sup>

Flexible balanced microphone audio cable for fixed or mobile installation suitable even for the realization of audio assembly.  
 Flame retardant PVC **FirestoP®**





**MILAN S.r.l.**  
**Head Office - Export Dept.:**  
 20090 Cusago (MI) - Italy  
 Viale Europa, 74  
 Tel. +39 02 90394556 - 4158  
 Fax. +39 02 90394551  
 www.taskercables.com

**Ufficio Commerciale  
 e Centro Distribuzione**  
 20090 Cusago (MI) - Italia  
 Viale Europa, 72 Strada F12  
 Tel. +39 02 90390037 - 59  
 Fax +39 02 90390049  
 www.tasker.it

**Special audio cables**

**tasker® TSK1042** sect. 2x2x0,22 mm<sup>2</sup>


Special flat pair cable more flexible and divisible, suitable for the realization of professional audio-balanced assembly

**Tasker Cables 2008 - Pag.19**



**tasker® TSK1044** sect. 2x2x0,22 mm<sup>2</sup>

Flexible pair audio Quad cable for sound reproduction



**tasker® C207** sect. 2+2x0,15 mm<sup>2</sup>

Special flexible audio cable with separate shielded cores suitable for microphone bases

**Tasker Cables 2008 - Pag.20**



**Digital audio cables**

**tasker® TSK1038** sect. 2x0,35 mm<sup>2</sup>  
**TSK1039** sect. 2x0,50 mm<sup>2</sup>  
**TSK1040** sect. 2x0,75 mm<sup>2</sup>

Professional digital audio cables 110 Ω AES/EBU for DMX and audio installations on long distances in big spaces as for example airports, megastores, public buildings etc. Flame retardant PVC **FirestoP®**

**Tasker Cables 2008 - Pag.23**



**Also in Halogen Free version Halogen Free**

**Shielded flat audio cables**

**tasker® C117** sect. 2x0,08 mm<sup>2</sup>


Divisible ultra thin shielded flat cable for mini head-phones and for miniature electronic application.

**Tasker Cables 2008 - Pag.32**



**tasker® C124** sect. 2x0,12 mm<sup>2</sup>

Divisible thin shielded flat cable for mini head-phones and for electronics. Suitable for the realization of audio assembly.



**tasker® C118** sect. 2x0,14 mm<sup>2</sup>

Divisible shielded flat cable for head-phones and for sound reproduction. Suitable for the realization of audio assembly.



**Available in 6 colours**



**MILAN S.r.l.**  
**Head Office - Export Dept.:**  
 20090 Cusago (MI) - Italy  
 Viale Europa, 74  
 Tel. +39 02 90394556 - 4158  
 Fax. +39 02 90394551  
 www.taskercables.com

**Ufficio Commerciale  
 e Centro Distribuzione**  
 20090 Cusago (MI) - Italia  
 Viale Europa, 72 Strada F12  
 Tel. +39 02 90390037 - 59  
 Fax +39 02 90390049  
 www.tasker.it

**Shielded flat audio cables**

**tasker® C121** sect. 2x0,25 mm<sup>2</sup>

Divisible shielded flat cable for professional head-phones and for sound reproduction.  
 Suitable for the realization of high quality audio assembly  
**Available in 5 colours**

[Tasker Cables 2008 - Pag.34](#)



**Coax Video Cables 75 Ω**

**tasker® RGB 75** 1x75 Ω

Flexible braided shielded mini-coaxial cable for R.G.B. video signals.  
**Available in 5 colours**

[Tasker Cables 2008 - Pag.43](#)



**tasker® RG 59** 1x 75 Ω - CW  
**eXtra**

Extra flexible coaxial cable for video frequency, suitable for professional BNC connectors (crimp type) and for the realization of cables and extensions for VHF and UHF signals.

[Tasker Cables 2008 - Pag.43](#)



**tasker® RG 59** 1x 75 Ω  
**Flex**

Flexible coaxial cable with stranded conductor for solder type connectors and for video frequency or digital audio installations.  
**Available in 5 colours**

[Tasker Cables 2008 - Pag.44](#)



**tasker® RG 59** 1x 75 Ω - CW  
**Special**

Special coaxial cable double shielding, braided red and tinned copper covering 100% for video frequency in particularly noisy installations as for example near to energy lines.  
 Suitable for professional BNC connectors (crimp type).

[Tasker Cables 2008 - Pag.63](#)



**tasker® RG 59** 1x75 Ω - CW  
**BU**

Coaxial braided shielded cable for video frequency MIL C-17 F Standards





**MILAN S.r.l.**  
**Head Office - Export Dept.:**  
 20090 Cusago (MI) - Italy  
 Viale Europa, 74  
 Tel. +39 02 90394556 - 4158  
 Fax. +39 02 90394551  
 www.taskercables.com

**Ufficio Commerciale  
 e Centro Distribuzione**  
 20090 Cusago (MI) - Italia  
 Viale Europa, 72 Strada F12  
 Tel. +39 02 90390037 - 59  
 Fax +39 02 90390049  
 www.tasker.it

**Special Video Cables 75 Ω**

**tasker® C228** 1x75 Ω+2x0,14 mm<sup>2</sup>

Special flat cable for video applications and audio stereo of average distances.

[Tasker Cables 2008 - Pag.48](#)



**tasker® C229** 1x75 Ω+2x0,22 mm<sup>2</sup>

Round cable for video applications and audio stereo of average  
 Flame retardant PVC **FirestoP®**

[Tasker Cables 2008 - Pag.51](#)



**tasker® C139** 2x75 Ω

Cable for fixed/mobile installation for S-VHS system.  
 Suitable for tasker SP 54 connector

[Tasker Cables 2008 - Pag.52](#)



**tasker® C803** 3x75 Ω

Double shielded Multi coax Cable for Video and Audio

[Tasker Cables 2008 - Pag.53](#)



**tasker® C143** 3x75 Ω+3x0,12 mm<sup>2</sup>

Special cable for video transmission RGB+Switch  
 Flame retardant PVC **FirestoP®**

[Tasker Cables 2008 - Pag.54](#)



**tasker® C258** 3x75 Ω+7x0,08 mm<sup>2</sup>

Cable for Super VGA or XGA monitors  
 Flame retardant PVC **FirestoP®**

[Tasker Cables 2008 - Pag.55](#)



**tasker® C263** 5x75 Ω

Cable for special video applications.  
 Flame retardant PVC **FirestoP®**

[Tasker Cables 2008 - Pag.56](#)



**tasker® C263 Super** 5x75Ω+4x0,22 mm<sup>2</sup>

Cable for special video applications.  
 Flame retardant PVC **FirestoP®**






**MILAN S.r.l.**  
**Head Office - Export Dept.:**  
 20090 Cusago (MI) - Italy  
 Viale Europa, 74  
 Tel. +39 02 90394556 - 4158  
 Fax. +39 02 90394551  
 www.taskercables.com

**Ufficio Commerciale  
 e Centro Distribuzione**  
 20090 Cusago (MI) - Italia  
 Viale Europa, 72 Strada F12  
 Tel. +39 02 90390037 - 59  
 Fax +39 02 90390049  
 www.tasker.it

**Tasker Cables 2008 - Pag.58**

**tasker® C146** 5x75 Ω+5x0,08 mm<sup>2</sup>

Cable for Super VGA or XGA monitors.  
 Flame retardant PVC



**HDMI Cable**

**Tasker Update 2009 - Pag.12**

**tasker® TSK1060 HDMI 1.3a**

sect. 4x(2cx0,22 mm<sup>2</sup>)  
 +1x2x0,22 mm<sup>2</sup>  
 +5x0,22 mm<sup>2</sup>

Flexible HDMI cable 1.3a version, for installation in public, civil and home buildings for distances not longer than 30 mt.

Flame retardant PVC



**Tasker Cables 2008 - Pag.98**

**tasker® 460 HDMI 1.3a**

HDMI 1.3a version Connector for tasker cable: TSK 1060.  
 Max. Ø cable: mm. 10,0  
 Soldering Type



**Cables for electronics and data transmission**

**Multicolour cables**

**Tasker Cables 2008 - Pag.75**

**tasker® C106** sect. 5x0,35 mm<sup>2</sup>  
**C107** sect. 6x0,35 mm<sup>2</sup>  
**C108** sect. 7x0,35 mm<sup>2</sup>  
**C109** sect. 8x0,35 mm<sup>2</sup>  
**C110** sect. 10x0,35 mm<sup>2</sup>  
**C111** sect. 12x0,35 mm<sup>2</sup>

Flexible multicolour cables for wiring and electronics.



**Sheathed cables**

**tasker® C158** sect. 6x0,25 mm<sup>2</sup>  
**C159** sect. 12x0,25 mm<sup>2</sup>  
**C160** sect. 16x0,25 mm<sup>2</sup>  
**C161** sect. 24x0,25 mm<sup>2</sup>

Flexible sheathed cables for wiring and electronics.



## Braided shielded tinned cables sect. 0,15 mm<sup>2</sup>

Tasker Cables 2008 - Pag.77

<b>tasker® C 2015</b>	sect. 2x0,15 mm <sup>2</sup>
<b>C 4015</b>	sect. 4x0,15 mm <sup>2</sup>
<b>C 6015</b>	sect. 6x0,15 mm <sup>2</sup>
<b>C 8015</b>	sect. 8x0,15 mm <sup>2</sup>
<b>C10015</b>	sect. 10x0,15 mm <sup>2</sup>
<b>C12015</b>	sect. 12x0,15 mm <sup>2</sup>

Braided shielded tinned cables for data transmission and electronics.  
 -Extra-Flexible  
 -Really Tinned copper



## Braided shielded cables sect. 0,25 mm<sup>2</sup>

Tasker Cables 2008 - Pag.81

<b>tasker® C 2025</b>	sect. 2x0,25 mm <sup>2</sup>
<b>C 4025</b>	sect. 4x0,25 mm <sup>2</sup>
<b>C 6025</b>	sect. 6x0,25 mm <sup>2</sup>
<b>C 8025</b>	sect. 8x0,25 mm <sup>2</sup>
<b>C10025</b>	sect. 10x0,25 mm <sup>2</sup>
<b>C12025</b>	sect. 12x0,25 mm <sup>2</sup>

Braided shielded cables for data transmission and electronics.  
 -Flame retardant PVC **Firestop®**



## Spiral shielded cables 500 series

Tasker Cables 2008 - Pag.85

<b>tasker® C504</b>	sect. 4x0,12 mm <sup>2</sup>
<b>C506</b>	sect. 6x0,12 mm <sup>2</sup>
<b>C508</b>	sect. 8x0,12 mm <sup>2</sup>

Flexible spiral shielded cables for data transmission and electronics. Suitable to connect also RJ 45 connectors in electronic applications.



## Flat telephone cables

Tasker Cables 2008 - Pag.72

<b>tasker® C604</b>	sect. 4x28 AWG
<b>C606</b>	sect. 6x28 AWG
<b>C608</b>	sect. 8x28 AWG

Flat telephone cables for modular connectors – RJ 45 4 – 6 - 8 PIN



## Professional connectors

Tasker Cables 2008 - Pag.93

<b>tasker® SP52</b>	RCA Audio Cable Ø mm. 6,7 Soldering type
---------------------	--

Professional RCA plug – Low Capacity  
**Available in 5 colours**



Tasker Cables 2008 - Pag.95

<b>tasker® SP57</b>	Jack Mono Ø 6,3 Cable Ø mm. 7,0 Soldering type
---------------------	--

Professional Audio Jack Mono Ø 6,3 connector.



**Tasker Cables 2008 - Pag.96**

**tasker® SP54** 4 Pin Mini-DIN  
 Video S-VHS  
 Cable Ø mm. 8,0  
 Soldering type

Professional Video 4 Pin mini-DIN S-VHS connector, for tasker C139 cable.



**Tasker Cables 2008 - Pag.95**

**tasker® SP53** BNC Video 75 Ω  
 Cable Ø mm. 8,0  
 Soldering type


Professional Video BNC connector.  
 Low Capacity



**Tasker Cables 2008 - Pag.96**

**tasker® SP75** BNC Video 75 Ω  
 Cable Ø mm. 4,4  
 Soldering type

Professional Video BNC connector.  
 Low Capacity



**tasker® SP76** BNC Video 75 Ω  
 Cable Ø mm. 6,5  
 Crimping type

Professional Video BNC connector.  
 Low Capacity



**Tasker Cables 2008 - Pag.98**

**tasker® SP56** BNC 50 Ω  
 Cable Ø mm. 6,0  
 Soldering type

Professional BNC connector.  
 Low Capacity



**Tasker Cables 2008 - Pag.99**

**tasker® SPF 3 XLR**  
 XLR female 3 Pin

XLR Audio connector



**Tasker Cables 2008 - Pag.100**

**tasker® SPF 3 XLR M**  
 XLR female 3 Pin

XLR Metal Audio connector

