Kindermann

reddot award 2015
winner

CablePort desk²

Technology meets design

Today conference and office furniture must feature mains, network and multimedia interfaces for the use of digital media.

The new CablePort desk² combines technology, functionality and a top design.

The plain style and the striking radius of the curving metal parts contribute to the unique design.
The flexible clamp mechanism of the CablePort desk² guarantees its universal use in the modern office world.
Mains and data cables can thus be fixed to the desktop as required, without causing any damages.

A cable chain guides the cables from the desk to the floor box or wall channel.

- Individual configuration possible with Konnect flex 45 click multimedia adapter plates (7464 000 xxx)
- Integration of media control, USB charger etc. possible
- Available in two different lengths - max. 4 or 6 mains sockets
- Anodized aluminium or powder-coated steel
- On demand with international mains sockets
- Fit for the future, new components can be integrated
- Concealed clamps for easy anti-slip mounting on desktops 10 – 60 mm thick
- Mains cable 1 m, GST 18 plug

Quality made in Germany
by Kindermann

For desktops 10 - 60 mm

CablePort desk², 6-fold

- Anodized aluminium
- Rear side powder-coated, white, RAL 9003

- Powder-coated, slate gray, RAL 7015
- Rear side powder-coated, white, RAL 9003

CablePort desk², 4-fold

Subject to technical alterations, as well as to changes of the design and the colour

CablePort desk²

Pre-configured and ready for use

CablePort desk²

6-fold for Quickselect 3.0

CablePort desk² / 6-fold for Quickselect 3.0	
Width	331 mm
Dimensions	99 x 124 mm (H x D)
Pre-mounted with	2 x mains 1 x VGA (HD15) 1 x audio jack (3.5 mm stereo) 1 x HDMI 1 x USB type A 1 x cat-6 all with cable+plug, 1 m, socket / plug 3 x stainless steel button with blue LED light ring, inkl. 3 m control line with open ends
	Powder-coated, slate gray (RAL 7015)
Ref. No.	**7430 000 008**
	Aluminium, anodized
Ref. No.	**7430 000 018**

CablePort desk²

4-fold

CablePort desk² / 4-fold	
Width	241 mm
Dimensions	99 x 124 mm (H x D)
Pre-mounted with	2 x mains 1 x VGA 1 x HDMI 1 x audio jack (3.5 mm stereo) 1 x cat-6 (RJ45) all with cable+plug, 1 m, socket / plug
	Powder-coated, slate gray (RAL 7015)
Ref. No.	**7430 000 004**
	Aluminium, anodized
Ref. No.	**7430 000 014**

CablePort desk²

6-fold

CablePort desk² / 6-fold	
Width	331 mm
Dimensions	99 x 124 mm (H x D)
Pre-mounted with	3 x mains 1 x VGA 1 x HDMI 1 x audio jack (3.5 mm stereo) 1 x USB, 2.0 (type A) 2 x cat-6 (RJ45) all with cable+plug, 1 m, socket / plug
	Powder-coated, slate gray (RAL 7015)
Ref. No.	**7430 000 006**
	Aluminium, anodized
Ref. No.	**7430 000 016**

Kindermann

CablePort desk²

For individual configuration

CablePort desk²

4-fold

CablePort desk² / 4-fold				
Width 241 mm				
Dimensions 99 x 124 mm (HxD)				
Pre-mounted with Empty casing 4 x empty	1 x mains 3 x empty	2 x mains 2 x empty	3 x mains 1 x empty	4 x mains
Powder-coated, slate grey (RAL 7015)				
Ref. No. 7430 000 070	7430 000 071	7430 000 072	7430 000 073	7430 000 074
Aluminium, anodized				
Ref. No. 7430 000 050	7430 000 051	7430 000 052	7430 000 053	7430 000 054

CablePort desk²

6-fold

CablePort desk² / 6-fold					
Width 331 mm					
Dimensions 99 x 124 mm (HxD)					
Pre-mounted with 1 x mains 5 x empty	2 x mains 4 x empty	3 x mains 3 x empty	4 x mains 2 x empty	5 x mains 1 x empty	6 x mains
Powder-coated, slate grey (RAL 7015)					
Ref. No. 7430 000 081	7430 000 082	7430 000 083	7430 000 084	7430 000 085	7430 000 086
Aluminium, anodized					
Ref. No. 7430 000 061	7430 000 062	7430 000 063	7430 000 064	7430 000 065	7430 000 066

Accessories for CablePort desk²

Specification	Ref. No.
Deposit tray for signal management components, e. g. Quickselect 3.0, easy mounting on the table clamp of the CablePort desk²	7446 000 021
Colour: white, RAL 9003	
Recommended maximum size of unit: 223 x 124 x 35 mm (WxDxH)	
Outer dimensions: 331 x 239 x 40 mm (WxDxH)	

CablePort desk²

With USB charger - for individual configuration

CablePort desk²

4-fold

CablePort desk² / 4-fold	
Width	241 mm	
Dimensions	99 x 124 mm (HxD)	
Version	USB charger with 2 x USB type A and integrated power supply (5 V / 1500 mA)	
Pre-mounted with	1 x mains 1 x USB charger 2 x empty	2 x mains 1 x USB charger 1 x empty
Powder-coated, slate grey (RAL 7015)	
Ref. No.	**7430 000 171**	**7430 000 172**
Aluminium, anodized	
Ref. No.	**7430 000 151**	**7430 000 152**

CablePort desk²

6-fold

CablePort desk² / 6-fold		
Width	331 mm		
Dimensions	99 x 124 mm (HxD)		
Version	USB charger with 2 x USB type A and integrated power supply (5 V / 1500 mA)		
Pre-mounted with	1 x mains 1 x USB charger 4 x empty	2 x mains 1 x USB charger 3 x empty	3 x mains 1 x USB charger 2 x empty
Powder-coated, slate grey (RAL 7015)		
Ref. No.	**7430 000 181**	**7430 000 182**	**7430 000 183**
Aluminium, anodized		
Ref. No.	**7430 000 161**	**7430 000 162**	**7430 000 163**

Compatible accessories

Cable snake Pro - A very stable floor channel for areas with a large number of people.

- Rounded surface
- Cables can be installed without tools (zip fastener principle)
- Tread protection up to 80 kg extended, 120 kg compressed
- Lenght extended 100 cm, compressed 70 cm (34 chain elements)
- 90 x 24 mm (BxH)

Illustration	Model	Specification	Ref. No.
	Cable snake Pro	black, RAL 9005	**7443 000 312**
		silver, RAL 9006	**7443 000 313**

Kindermann

CablePort desk² 80

CablePort desk² 80

Expansion of the product family

• For mounting on cable feedthroughs with 80 mm diameter
• Easy and comfortable to install
• No additional cut in desktop needed
• For desktops 8 - 50 mm thick

Quality
made
in
Germany
by Kindermann

CablePort desk² 80 turn

Expansion of the product family

• Optional accessory for CablePort² 80
• Rotatable up to +/- 150°, 30° steps, height 25 mm, -8° tilted
• Diameter: 100 mm
• For desktops 8 - 50 mm thick

| CablePort desk² 80 turn | 7430 000 200 |

| Connector for cable snake Classic/Pro | 7430 000 201 |

CablePort desk² 80
with turn option

Subject to technical alterations, as well as to changes of the design and the colour

CablePort desk² 80

Pre-configured and ready for use

CablePort desk² 80

4-fold, pre-configured

CablePort desk² 80 / 4-fold, pre-configured	
Width	241 mm
Dimensions	100 x 126 mm (H x D)
Pre-mounted with	2 x mains 1 x HDMI 1 x VGA (HD15) 1 x Audio jack 1 x Cat-6 1 x power cable GST18, 1 m

| **Powder-coated, slate grey (RAL 7015)**	
Ref. No.	**7430 000 204**

Aluminium, anodized	
Ref. No.	**7430 000 214**

CablePort desk² 80

4-fold, individual configuration, mains

CablePort desk² 80 / 4-fold, mains		
Width	241 mm	
Dimensions	100 x 126 mm (H x D)	
Pre-mounted with	1 x mains 3 x empty 1 x power cable GST18, 1 m	2 x mains 2 x empty 1 x power cable GST18, 1 m	3 x mains 1 x empty 1 x power cable GST18, 1 m

Powder-coated, slate grey (RAL 7015)		
Ref. No.	**7430 000 251**	**7430 000 252**	**7430 000 253**

Aluminium, anodized		
Ref. No.	**7430 000 271**	**7430 000 272**	**7430 000 273**

CablePort desk² 80

4-fold, individual configuration, USB, mains

CablePort desk² 80 / 4-fold, USB	
Width	241 mm
Dimensions	100 x 126 mm (H x D)
Pre-mounted with	2x mains, 1 x USB charger 2 USB-A (f) 5V/1,5 A, 1 x power cable GST18, 1 m

Powder-coated, slate gray (RAL 7015)	
Ref. No.	**7430 000 352**

Aluminium, anodized	
Ref. No.	**7430 000 372**