clicktronie



Smooth images in 4K or Full HD in 3D over 0.5 to 10 metres and many years. The reason: a strong plug, gold-plated connectors and a flexible triple shielded premium cable.



A PLUG THAT PROTECTS AGAINST CABLE BREAKAGE

The plug of the Clicktronic Premium High Speed HDMI[™] cable with Ethernet consists of three ABS and PVC parts, making it both flexible and robust: if you, for instance, pull the cable with a jerk, it absorbs some of the energy and protects the inner conductor.

GOLD-PLATED CONNECTORS TO ENSURE A LONG SERVICE LIFE

To make sure that the connectors remain rust-free, they are coated with 24 Carat gold. This prevents them from oxidising. Plus: unlike many materials, gold is excellent at transmitting signals – for resistancefree transmission, completely without any interruptions.

TRIPLE SHIELDED TO AVOID FLICKERING

No flickering, even if several cables run in parallel or the smartphone is lying right next to the cable: the triple shielding consisting of aluminium foil and copper braiding intercepts interfering signals. Even with stronger electromagnetic fields.

OFC INNER CONDUCTORS FOR BRILLIANT SIGNAL QUALITY

Pin-sharp images, brilliant audio – even after years: the inner conductors made from 99.9% oxygen-free copper (OFC) are designed not to come into contact with oxygen. This means that they do not oxidise and they transmit signals excellently, just like on the very first day.

clicktronic

A FLEXIBLE AND ROBUST PVC JACKET

The robust PVC jacket protects the Clicktronic Premium High Speed HDMI[™] cable with Ethernet and keeps it flexible enough to bend around any corner – no matter how long it has spent in one position. The reason: the PVC does not absorb water, even in humid conditions. This means that the cable does not become porous.

SUBJECT TO CHANGE. MODEL SIMILAR. HDMI", THE HDMI" LOGO AND HIGH-DEFINITION MULTIMEDIA INTERFACE ARE TRADEMARKS OR REGISTERED TRADEMARKS OF HDMI LICENSING LLC IN THE USA AND OTHER COUNTRIES. ALL BRAND NAMES ARE REGISTERED TRADEMARKS OF THEIR RESPECTIVE OWNERS.

clicktronie



PREMIUM HIGH SPEED HDMI[™] CABLE WITH ETHERNET

HIGH RESOLUTION OVER UP TO 10 METRES

Smooth streaming, presenting and gameplay: The Clicktronic Premium High Speed HDMI[™] cable with Ethernet allows you to transmit video and audio signals from a gaming PC to a monitor or from a console or a receiver to a TV – over 0.5 to 10 metres and with a resolution of up to 4K (3840×2160 px) at 60 Hz or Full HD (1920×1080 px)in 3D at 60 Hz.

SEVERAL CHANNELS FOR INCREASE CONVENIENCE

The Audio Return Channel (ARC) transmits and receives digital audio signals simultaneously. The Ethernet Channel (HEC) transmits the Internet signal e.g. from a console to a TV. And, thanks to Consumer Electronics Control (CEC), the television automatically switches on with the console and selects the right HDMI[™] port. Plus: you can control the volume of the console directly using the TV remote control.





ALL ADVANTAGES AT A GLANCE

HIGH RESOLUTION From up to 4K (3840 × 2160 px) at 60 Hz or Full HD (1920 × 1080 px) in 3D at 60 Hz

MULTIFUNCTIONAL Thanks to several channels: HEC, ARC, CEC. BRILLIANT SIGNAL QUALITY

No oxidation thanks to an inner conductor made from 99.9% oxygen-free copper (OFC).

NO FLICKERING Thanks to triple insulation.

FLEXIBLE AND ROBUST CABLE Thanks to the PVC jacket, which can be bent optimally even after years.

STRONG PLUG

PVC and ABS ensure maximum flexibility in the event of a jerk on the cable.

RUST-FREE CONNECTOR Even after years – thanks to a 24 Carat gold coating.

SUBJECT TO CHANGE. MODEL SIMILAR. HDMI[™], THE HDMI[™] LOGO AND HIGH-DEFINITION MULTIMEDIA INTERFACE ARE TRADEMARKS OR REGISTERED TRADEMARKS OF HDMI LICENSING LLC IN THE USA AND OTHER COUNTRIES. ALL BRAND NAMES ARE REGISTERED TRADEMARKS OF THEIR RESPECTIVE OWNERS.



clicktronie



PREMIUM HIGH SPEED HDMI™ CABLE WITH ETHERNET

SIGNAL TRANSMISSION

TRANSMISSION TYPES: digital audio and video signals MAX. BANDWIDTH (MHz): 600 (0.5 - 10 m)MAX. TRANSMISSION RATE (Gbit / s): 18 (0.5 - 10 m)WAVE IMPEDANCE (Ω): 100

CABLE CROSS-SECTION



CIRCUIT DIAGRAM



SUPPORTED FORMATS

AUDIO STANDARDS	Audio Return Channel (ARC), Dolby Digital / Plus, Dolby TrueHD, DTS-HD Master Audio™, DVD-Audio, SA-CD				
OTHER STANDARDS	HDMI™ Ethernet Channel (HEC), 3D, HDCP 2.2, CEC, 4K (2160 i / p), Full HD (1080 i / p), HD ready (720 i / p), SDTV (480 i / p)				
COLOUR SPACES	HDR, 16 / 24 bit RGB / YUV, Deep Color, x.v.Color™				
CABLE LENGTH	RRP	Packaged unit	SKU	EAN	

PRODUCT DATA

CABLE LENGTH	\varnothing inner conductor	AWG	Ø OUTER JACKET
0.5 – 3 m	1×0.25mm	30	6.0 mm
5 m	1×0.40 + 1×0.32 mm	26 + 28	8.2 mm
7.5 – 10 m	1×0.51 + 1×0.32 mm	24 + 28	10.0 mm

CABLE LENGTH	RRP	Packaged unit	SKU	EAN
0.5 m	10.99€	1/20/40	70300	4040849703003
1.0 m	12.99€	1/20/40	70301	4040849703010
1.5 m	14.99€	1/20/40	70302	4040849703027
2.0 m	16.99€	1/15/30	70303	4040849703034
3.0 m	19.99€	1/12/24	70304	4040849703041
5.0 m	29.99€	1/10/20	70305	4040849703058
7.5 m	39.99€	1/8/16	70306	4040849703065
10.0 m	49.99€	1/6	70307	4040849703072



SUBJECT TO CHANGE. MODEL SIMILAR. HDMI", THE HDMI" LOGO AND HIGH-DEFINITION MULTIMEDIA INTERFACE ARE TRADEMARKS OR REGISTERED TRADEMARKS OF HDMI LICENSING LLC IN THE USA AND OTHER COUNTRIES. ALL BRAND NAMES ARE REGISTERED TRADEMARKS OF THEIR RESPECTIVE OWNERS.