



INLINE® KEYSTONE MOUNTING for DIN rail








This bracket can be attached to a DIN rail. Due to its standardized dimensions, it is suitable for easy snap-in mounting of a Keystone module.

- Fits Keystone ports with 19 x 14.8 mm opening
- For mounting on 35 mm top-hat rails
- Arrangeable
- Metal version

Technical Data	
Brand:	InLine®
Connection A:	Universal Keystone 19x14.8mm
Connection B:	Top hat rail 35mm
Finish:	Metal
Keystone SNAP-In compatible:	Yes
Network category:	Module dependent
PU:	1
Shielding:	No
Type:	Keystone


Item No.	Version	Dimensions (WxHxL)	EAN
76203A	1x	48 x 51.2 x 23 mm	4043718279838
76203B	2x	48 x 51.2 x 42 mm	4043718279845

76203A



Material: Stainless steel

76203B



If you have any further questions, please contact marketing@inline-info.com

www.inline-info.com/en/

Disclaimer

InLine® is a brand of INTOS ELECTRONIC AG | Siemensstraße 11 | D-35394 Gießen

Documentation © 2025 INTOS ELECTRONIC AG

All rights reserved. No part of this document may be reproduced in any form or by any means, electronic, mechanical or chemical, without the prior written permission of the publisher. It is possible that this document may still contain typographical faults or misprints.

However, the information in this document will be checked regularly and corrections will be made in the next edition. We accept no liability for errors of a technical or printing nature and their consequences. All trademarks and industrial property rights are acknowledged. Changes in the sense of technical progress can be made without prior notice. Our products, including packaging, are not toys, they may contain small parts and sharp objects.

Please keep away from children.